

AS/400e 170 or 250



638x Tape Unit Instruction

Version 4

AS/400e 170 or 250



638x Tape Unit Instruction

Version 4

Note

Before using this information and the product it supports, be sure to read the "Safety and Environmental Notices" on page iii and the "Notices" on page 11.

Fifth Edition (July 2000)

This edition applies only to reduced instructions set computer (RISC) systems.

© Copyright International Business Machines Corporation 1998, 2000. All rights reserved.

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

Safety and Environmental Notices

Danger Notices

A danger notice calls attention to a situation that is potentially lethal or extremely hazardous to people.

DANGER

An electrical outlet that is not correctly wired could place hazardous voltage on metal parts of the system or the products that attach to the system. It is the customer's responsibility to ensure that the outlet is correctly wired and grounded to prevent an electrical shock. (RSFTD201)

DANGER

To prevent a possible electrical shock when installing the system, ensure that the power cords for all devices are unplugged before installing signal cables. (RSFTD202)

DANGER

To prevent a possible electrical shock when adding or removing any devices to or from the system, ensure that the power cords for those devices are unplugged before the signal cables are connected or disconnected. If possible, disconnect all power cords from the existing system before you add or remove a device. (RSFTD203)

DANGER

To prevent a possible electrical shock during an electrical storm, do not connect or disconnect cables or station protectors for communications lines, display stations, printers, or telephones. (RSFTD003)

DANGER

To prevent a possible electrical shock from touching two surfaces with different electrical grounds, use one hand, when possible, to connect or disconnect signal cables. (RSFTD004)

Caution Notices

A caution notice calls attention to a situation that is potentially hazardous to people because of some existing condition.

CAUTION:

Telecommunications Statement: This unit contains over-voltage circuits between the ac power outlet and the unit. These circuits meet the standard limits described in International Electrical Commission (IEC) 664, installation category II. It is the customer's responsibility to ensure that the power outlet meets the standards of IEC 664, installation category II. (RSFTC214)

Laser Safety Information

CAUTION:

This product may contain a CD-ROM which is a class 1 laser product. (RSFTC240)

Product Recycling and Disposal

Components of the system, such as structural parts and circuit cards, can be recycled where recycling facilities exist. IBM does not currently collect and recycle used IBM products from customers in the United States other than those products that are involved in trade-in programs. Companies are available to disassemble, reutilize, recycle, or dispose of electronic products. Contact an IBM account representative for more information.

The system unit contains batteries and circuit boards with lead solder. Before you dispose of this unit, these batteries and circuit boards must be removed and discarded according to local regulations or recycled where facilities exist. This book contains specific information on each battery type where applicable.

Battery Return Program

In the United States, IBM has established a collection process for reuse, recycling, or proper disposal of used IBM batteries and battery packs. For information on proper disposal of the batteries in this unit, please contact IBM at 1-800-426-4333. Please have the IBM part number that is listed on the battery available when you make your call. For information on battery disposal outside the United States, contact your local waste disposal facility.

Environmental Design

The environmental efforts that have gone into the design of the system signify IBM's commitment to improve the quality of its products and processes. Some of these accomplishments include the elimination of the use of Class I ozone-depleting chemicals in the manufacturing process, reductions in manufacturing wastes, and increased product energy efficiency. For more information, contact an IBM account representative.

Installation Instructions

This feature is customer installed. It will take approximately 1 hour to install the hardware. However, you may elect not to perform this feature installation yourself. You may contact IBM or an Authorized Dealer to make arrangements for them to perform the feature installation for a fee.

You need to allow additional time to complete your jobs, back up your system, IPL your system, and verify your hardware configuration.

When you use these instructions, you will do the following:

- Remove the system unit covers.
- Install your new hardware.
- Install covers.
- IPL your operating system.
- Verify your new hardware configuration.

Some of the steps in these instructions may require a tool to remove the screws. It is recommended that you use:

- A small-sized standard screwdriver or a 4.0 mm socket wrench
- A medium-sized standard screwdriver or a 5.5 mm socket wrench

Before you begin:

- Ensure that you have a current backup of your operating system and licensed programs. If you have backed up the operating system and licensed programs since the last time you applied PTFs, that backup is acceptable.
- Ensure that you take a few minutes to become familiar with these instructions.
- If there are incorrect, missing or visibly damaged parts, contact one of the following:
 - Your authorized dealer
 - Point of purchase (For example, IBM Direct)
 - IBM Rochester Manufacturing Automated Information Line (R-MAIL)
 - 1-800-300-8751 (United States)
 - 1-507-253-5242 (worldwide)
- Determine if there are any existing prerequisites before you install your new feature. Go to this Web site and locate your feature number and OS/400 release and check the prerequisites.

http://as400service.ibm.com/s_dir/slkbases.NSF/

Then do the following to get to the Customer Install Features Prerequisites:

1. Select **All Documents**
2. Select **Collapse**
3. Select **General Information**
4. Select **Offerings**
5. Select **Feature Prerequisites**
6. Select **Customer Install Features Prerequisites**

The pictures in these instructions may not look exactly like the system unit that you have. However, the steps to perform the task are the same.


Getting Ready

- 1. Ensure that all jobs are complete.
- 2. When all jobs are complete, type
pwrdownsys *immed

on an AS/400 command line and press the Enter key.

Note: Should you encounter difficulties during the installation, contact your authorized dealer or service provider.

- 3. When the AS/400 is completely powered down, power off all PCs and devices, such as printers and displays, that are connected to the system unit.
- 4. Unplug any power cords, such as printers and displays, from electrical outlets.
- 5. Unplug the system unit power cord from the electrical outlet.
- 6. Remove the system unit back cover by placing your hand near the bottom of the cover and lifting up and out (Figure 1).



RV4D101-0

Figure 1. Remove System Unit Back Cover

- 7. Remove the system unit right side cover (looking at the back of the system unit). Remove the screws and slide the cover from front to back until it stops. Pull the cover out. (Figure 2 on page 3).





Figure 2. Remove System Unit Side Cover

Your system unit contains a battery that only trained service personnel can replace.

- 8. **CAUTION:**
The battery is a lithium battery. Only trained service personnel may replace this battery using the instructions in the Problem Analysis, Repair, and Parts service manual. To avoid possible explosion, do not burn or charge the battery. Exchange only with the IBM-approved part. Discard the battery as instructed by local regulations. (RSFTC241)
- 9. Remove the system unit front cover by gripping the sides of the cover **A** and pulling the cover toward you (Figure 3 on page 4).




RV4D115-1

Figure 3. Remove System Unit Front Cover

- ___ 10. Attach the disposable wrist strap to prevent electrostatic discharge from damaging a device. Figure 4 on page 5 shows an example of where to attach the adhesive part of the foil to an unpainted surface.

Notes:

- a. Follow the same precautions you would use without the wrist strap. The 2209 Disposable Wrist Strap is for static control. It will not increase nor decrease your risk of receiving electric shock when using or working on electrical equipment.
- b. Discard the wrist strap immediately and contact your dealer for a replacement, if the plastic ribbon below the wrist strap appears damaged or cut off. Do not continue until a new wrist strap is available.
- c. Remove the liner from the copper foil at the end, when you unroll the wrist strap.
- d. Attach the copper foil to an **exposed, unpainted** metal surface on the frame of the system unit (electrical ground).




RV4D128-1

Figure 4. Attach Wrist Strap

Installing the Tape Unit

1. Remove the three screws **A** as shown in Figure 5 on page 6.

Note: To access the third screw, if you have an expansion unit, remove the disk unit cover **B**.



RV4D126-2

Figure 5. Remove Tape Unit Screws

- ___ 2. Slide the tape unit forward to allow access to the signal and power cables connected to the back of the tape unit.
- ___ 3. Disconnect the signal (larger connector) and power (smaller connector) cables from the back of the tape unit.
- ___ 4. Remove the tape unit by sliding it forward and out of the system unit.
- ___ 5. Find the package that contains the new tape unit and remove it from the package.

Note: Before you install the tape unit into the system unit, look at the back of the tape unit. Note where the connectors are.

- ___ 6. Move the 68-50 pin adapter converter from the old tape unit to the new tape unit.
- ___ 7. Install the tape unit into the system unit.
- ___ 8. Plug the power cable into the smaller connector on the back of the tape unit.
- ___ 9. Plug the signal cable into the larger connector on the back of the tape unit.
- ___ 10. Align the tape unit with the compact disc unit on the front of the system unit.
- ___ 11. Install the three screws that hold the tape unit in place.
- ___ 12. Do you have any other adapter cards or devices to install?

No Yes



If you have another device such as a disk unit, an adapter card, or a memory card to install, go to the instructions that came with that device.

- ___ 13. Install the disk unit cover on the expansion, if removed.

Completing the Installation

- ___ 1. Install the system unit side cover by aligning the tabs on the top and bottom edge. Press forward and make sure that all tabs enter the slots. Slide the cover toward the front of the system unit until it stops and install the screws (Figure 6).




Figure 6. Install Side Cover

- ___ 2. Install the system unit front cover.
- ___ 3. Install the system unit back cover.

___ 4. **DANGER**


An electrical outlet that is not correctly wired could place hazardous voltage on metal parts of the system or the products that attach to the system. It is the customer's responsibility to ensure that the outlet is correctly wired and grounded to prevent an electrical shock. (RSFTD201)

Plug the following power cords into an electrical outlet.

- System unit
- System unit console

___ 5. Plug in and power on all attached devices, such as printers and displays.

___ 6. Look at the Function/Data display on the control panel. Does a **B N** appear in the Function/Data display?



RV4D109-0

Yes **No**

↓ Do the following:

- Press the Up or Down select push button until **02** appears in the Function/Data display.
- Press the Enter push button on the control panel.
- Press the Up or Down select push button until **B N** appears in the Function/Data display.
- Press the Enter push button on the control panel.
- Press the Up or Down select push button until **01** appears in the Function/Data display.
- Press the Enter push button on the control panel.
- Go to step 7.

___ 7. Power on the workstation or PC that is your console.

___ 8. Press the system unit power-on button. The power-on light will appear.

Note: The system takes approximately 3 to 5 minutes to power on and complete an IPL.

___ 9. Sign on the system unit. Ensure that you have service tools authority.

___ 10. Do the following to verify your tape unit configuration:

- On an AS/400 command line, type:

```
DSPHDWRSC *AHW
```

Press the Enter key.

- When the Display All Hardware Resources display appears, type **7** in the *Opt* column next to the feature number for the device you just installed.

Press the Enter key.

If the system does not list the tape unit, ensure that the tape unit is properly installed.

- c. If you have a printer, print the configuration list. Place the configuration list in the *Basic System Operation, Administration, and Problem Handling, SC41-5206-04* book.

Note: To print the hardware resources list, press **F6**.

- d. Return to the AS/400 Main menu by pressing **F3**.
- ___ 11. For information on how to make your tape operational, go to the *AS/400 Information Center*. You can access the Information Center from the *AS/400 Information Center, SK3T-2027-03* or from the following Web site:
<http://www.as400.ibm.com/infocenter>
- ___ 12. Your feature upgrade is complete. Keep all miscellaneous parts, such as wrap connectors in a safe place.

Notices

This information was developed for products and services offered in the U.S.A. IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing
IBM Corporation
500 Columbus Avenue
Thornwood, NY 10594
U.S.A.

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law:

INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

If you are viewing this information softcopy, the photographs and color illustrations may not appear.

The drawings and specifications contained herein shall not be reproduced in whole or in part without the written permission of IBM.

IBM has prepared this publication for use by customer personnel for operating and planning for the specific machines indicated. IBM makes no representations that it is suitable for any other purpose.

Trademarks

The following terms are trademarks of the IBM Corporation in the United States or other countries or both:

AS/400
AS/400e series
Client Access
Client Access/400
IBM
NetFinity
Operating System/400
OS/400
400
800-IBM-CALL

Microsoft, Windows, Windows NT, and the Windows 95 logo are trademarks or registered trademarks of Microsoft Corporation.

Other company, product, and service names, which may be denoted by a double asterisk (**), may be trademarks or service marks of others.

Readers' Comments — We'd Like to Hear from You

AS/400e 170 or 250
638x Tape Unit
Instruction

Publication No. SENG-6386-04

Overall, how satisfied are you with the information in this book?

	Very Satisfied	Satisfied	Neutral	Dissatisfied	Very Dissatisfied
Overall satisfaction	<input type="checkbox"/>				

How satisfied are you that the information in this book is:

	Very Satisfied	Satisfied	Neutral	Dissatisfied	Very Dissatisfied
Accurate	<input type="checkbox"/>				
Complete	<input type="checkbox"/>				
Easy to find	<input type="checkbox"/>				
Easy to understand	<input type="checkbox"/>				
Well organized	<input type="checkbox"/>				
Applicable to your tasks	<input type="checkbox"/>				

Please tell us how we can improve this book:

Thank you for your responses. May we contact you? Yes No

When you send comments to IBM, you grant IBM a nonexclusive right to use or distribute your comments in any way it believes appropriate without incurring any obligation to you.

Name

Address

Company or Organization

Phone No.



Fold and Tape

Please do not staple

Fold and Tape




NO POSTAGE
NECESSARY
IF MAILED IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST-CLASS MAIL PERMIT NO. 40 ARMONK, NEW YORK

POSTAGE WILL BE PAID BY ADDRESSEE

IBM CORPORATION
ATTN DEPT 542
IDCLERK
3605 Highway 52 N
ROCHESTER MN 55901-7829



Fold and Tape

Please do not staple

Fold and Tape



Printed in the United States of America
on recycled paper containing 10%
recovered post-consumer fiber.

SENG-6386-04

